

LIGHTS FOR LIFEJACKETS AND IMMERSION SUITS**ACR ELECTRONICS****HemiLight**

The choice of cruise lines worldwide, the ACR Auto HemiLight™2 attaches to almost any style life jacket. It is smaller than other approved lights and features rounded edges to maintain inflation bladder integrity in inflatable jackets.

The all new LED light activates when in contact with salt or fresh water and can be deactivated by sliding the switch to the off position.

Installation is quick and simple with the all new Dragon Clip™ which provides secure retrofit attachment to almost any style life jacket in a matter of seconds.

- Water-activated LED flashing survival light with manual deactivation switch
- Meets USCG and SOLAS requirements
- Attachment loops accommodate up to 5 cm (2 in) wide webbing
- Rounded edges to maintain integrity of inflatable life jackets
- Smaller than other approved lights
- Highly visible flashing LED light
- Marine tough design for years of useful service

Product Number: 3768 bulk 3768.1 carded
Model Number: HL8-10
Activation: Automatic when in contact with water (fresh or salt), deactivate via manual switch
Operational Life: Exceeds 8 hr. requirement Typical operational life of 16 hrs
Approvals: Pending: USCG SOLAS, Transport Canada
Approved: MED SOLAS
Limited Warranty: 1 year

LIGHTS FOR LIFEJACKETS AND IMMERSION SUITS**ELECTRIC FUEL***Electric Fuel®***CFX I**

Product no. CFX I

- 0.75 cd throughout upper hemisphere, white flashing light
- dimensions 68.5 x 35 x 38.5 mm
- automatic activation upon immersion in fresh or salt water / manual off
- supplied with clip for easy attachment to lifejacket belt
- classed as non hazardous transportation

Colour: Orange**Approvals:**

Approved to 1999 SOLAS amendments; IMO Resolution 81(70), EC Type Approval MED, US Coast Guard SOLAS 161.112/56/0

LIGHTS FOR LIFEJACKETS AND IMMERSION SUITS**ELECTRIC FUEL***Electric Fuel®***CFX II**

Product no. CFX II

- 0.75 cd throughout upper hemisphere, white flashing light
- dimensions 60 x 35 x 31 mm
- automatic activation upon immersion in fresh or salt water / manual off
- supplied with clip for easy attachment to lifejacket belt
- classed as non hazardous transportation

Colour: Orange**Approvals:**

Approved to 1999 SOLAS amendments; IMO Resolution 81(70), EC Type Approval MED, US Coast Guard SOLAS 161.112/56/0

LIGHTS FOR LIFEJACKETS AND IMMERSION SUITS**ACR ELECTRONICS****Firefly Rescue Strobe lights**

Firefly3 SOLAS, product no. 3995.3/4

Firefly3 SOLAS Waterbug, product no. 3996.3/4 (water activated)

Firefly2 Doublefly, product no. 3999.1

- 360° high intensity Xenon strobe visible up to 2 miles (3+ km)
- Waterproof to 10 m
- 60 ± 10 flashes per minute
- Uses 2 “AA” 1.5V lithium batteries (SOLAS versions, 5 year replacement life) or alkaline for non-SOLAS applications
- Operating life – minimum 8 hours continuous @ -1° C
- Firefly3 versions meet USCG and IMO SOLAS specifications
- Firefly2 Doublefly multifunction switch selects between strobe light and incandescent light
- Ideal for vests, survival suits, flight suits

Colour: Orange**Approvals Firefly3 versions:**

USCG SOLAS 161.112/58/0, IMO LSA Code Res. MSC. 81(70);

FAA (TSO-C85)