

GAS DETECTION EQUIPMENT**Single Gas detectors****GasAlertClip Extreme**

The GasAlertClip Extreme provides two years of continuous, maintenance-free protection from the day of activation. Ideal for high-moisture environments, the GasAlertClip Extreme is water resistant and rugged enough to weather the most severe environmental conditions



Available versions: H₂S, CO, SO₂, O₂

- Displays life remaining in months, days and hours
- Displays peak alarm exposures encountered
- Daily self-test (auto and on demand)
- Highly water resistant – IP66/67 housing
- Built in concussion proof boot
- Event logging of all gas alarms detected

GAS DETECTION EQUIPMENT**Gas Alert Extreme**

Ergonomically designed, the compact Gas Alert Extreme has advanced programming Features for the detection of toxic and Oxygen hazards and is priced for modern day budgets.



Available versions : H₂S, CO, O₂, SO₂, Cl₂, HCN, NO₂, NH₃, PH₃

- 3 years battery life
- Low, High, TWA and STEL alarms
- Records and displays TWA, STEL and Peak Values on demand
- Internal vibrating alarm
- Simple auto-zero and calibration procedure
- Full function self-test of: sensor, battery, and circuitry integrity
- User field options include latching high alarm,
- Pass code protection and confidence beep
- Highly water resistant – IP66/67 housing

GAS DETECTION EQUIPMENT**Multi-gas detectors****GasAlertMicroClip H₂S, O₂, CO %LEL**

The slim and compact GasAlertMicroClip provides affordable protection from atmospheric hazards. With simple one-button operation, this multi-gas detector offers ultimate ease of use and significantly reduces time spent training the user. The GasAlertMicroClip is fully compatible with BW's MicroDock II automatic test and calibration system.

**Features:**

- Also 2 or 3 Sensors
- Built-in concussion proof boot
- Simple one-button operation
- Standard data and eventlogger
- Internal vibrator alarm for high noise areas
- Lithium polymer battery 12 h operation 3h charging
- Metal alligator belt clip
- Calibration cap and hose
- Compact size – weights only : 160 grams
- Triple alarm system



GAS DETECTION EQUIPMENT**GasAlertQuattro H₂S, O₂, CO %LEL**

Rugged and reliable, the GasAlertQuattro four-gas detector combines a comprehensive range of features with simple one-button operation. With flexible power options, the GasAlertQuattro is always ready. The graphic LCD displays easy to identify icons that indicate operational information, such as bump test and calibration status for simplified onsite auditing. IntelliFlash provides continuous visual confirmation of detector operation and compliance. Suited to a wide range of industrial applications including confined space entry, the GasAlertQuattro is fully compatible with BW's MicroDock II automatic test and calibration system.

**Features:**

- IntelliFlash verifies operation and compliance to both the user and supervisors from up to 20 ft. / 6.1 m
- One-button operational simplicity
- Easy to identify icons for onsite auditing and compliance
- Field-proven Surecell sensors offer an unprecedented performance, even in the harshest environments
- Easy-to-read, multi-language LCD displays all four gas concentrations (H₂S, CO, O₂ and combustibles) simultaneously
- Audible, visual and vibrating alarm
- Extended alarm bars
- Flexible, interchangeable battery options with extended runtimes
- Full function self-test is initiated upon activation and runs continuously during operation
- Heartbeat pulses continually during normal operation
- Extensive datalogging and event logging capability
- User-options, such as flip display, accessible through IR interface for tamper-proof operation
- Multi-language support in English, French, German, Spanish and Portuguese
- Compatible with MicroDock II automated test and calibration system

GAS DETECTION EQUIPMENT

GasAlertMaxXT H₂S, O₂, CO %LEL

The durable GasAlertMax XT reliably monitors for up to four gas hazards and combines straightforward one-button field operation with an integrated sampling pump. Tamper-proof, user-adjustable options enable the instrument to be customized to suit your application. Confined space entry and remote sampling have never been so easy with new intelligent pump technology. Minimize pump blockages and improve remote sampling result accuracy. The GasAlertMax XT is fully compatible with the MicroDock II automated test and calibration system.



Features:

- Integrated sampling pump
- SmartSample technology and powerful diaphragm pump provide reliable block detection and consistent, uniform flow
- Easy-to-read, multi-language LCD displays all four gas concentrations (H₂S, CO, O₂ and combustibles) simultaneously
- Visual, vibrating and audible alarm indicators
- Low, High, TWA (time weighted average) and STEL (short-term exposure limit) alarms
- LCD icons help with fast and easy notification of detector operation
- Built-in concussion-proof boot
- Simple auto-calibration procedure
- Rechargeable batteries provide enough power for a 13-hour shift
- Best in class block detection with semi-conductor pressure sensor
- Easy, one-button interface for simple operation
- Flexible user options minimize training
- Tamper-proof field operation
- Multi-language support in English, French, German, Spanish and Portuguese
- Compatible with MicroDock II automated test and calibration system

GAS DETECTION EQUIPMENT**GasAlertMicro 5 and GasAlertMicro5 PID**

Providing protection from up to five potential atmospheric hazards including oxygen, combustible and toxic gases, GasAlertMicro 5 is unparalleled in its versatility, capability and overall value.

BW's newest addition to its water-resistant line of portable gas detectors has transformed the market with its matchless array of features. Continuously monitoring and displaying concentrations of up to five gases, the compact and lightweight GasAlertMicro 5 was designed and engineered with an extensive host of applications in mind.

Features:

- Integral concussion-proof boot
- Optional integral motorized pump option for remote sampling
- Powered by three AA alkaline batteries or a hot-swappable rechargeable battery pack
- Triple alarms (audible, visual and vibrating)
- Multi-language support in English, French, German, Spanish and Portuguese
- Large, user selectable backlit LCD
- Four alarm levels: Low, High, TWA and STEL
- Compatible with MicroDock II Automatic Test and Calibration Station
- Datalogging models store and recall event information
- Wide range of user selectable field options including password protection, safe and stealth modes.
- PID version measures all VOCs (Volatile Organic Compounds)
- Self-Tests
- Full function self-test confirms sensor, battery and circuitry integrity and audible/visual alarms on activation



GAS DETECTION EQUIPMENT**Accessories**

Designed for use with most BW single-gas and multi-gas detectors, the Sampler is an ideal confined space entry accessory. Simply attach it to your detector and activate for continuous remote sampling.

**Sampler pack**

- Compatible with most BW single-gas and multi-gas detectors, including GasAlert and GasAlertMicro
- Pump constantly monitors itself for proper performance
- Low flow alarm, battery alarm and system fault alarm with audible/visual warnings
- Unique, manual flow-block test verifies proper performance
- Up to 30 hours of continuous operation on a single set of AA alkaline or rechargeable NiMH batteries
- Built-in water trap and particulate filters Optional extra-long probes and sampling hoses

GAS DETECTION EQUIPMENT**Accessories**

Handsfree operation with
Durable cases to suit your
Work environment.

Concussion-proof boot**Standard Kit**

Includes detector and standard accessories
plus everything for confined space entry,
including calibration gas

Available for GasAlertMicroClip, GasAlertMaxXT and GasAlertMicro 5

Value Added Confined Space Kit

For more accessories and spare parts please contact us.