



**Brass Serie**



**Barometer model Yacht 613**

Dial: Ø 100 mm  
Frame: 150 x 60 mm  
Weight: 500 gr



**Thermo/hygrometer model Yacht 620**

Dial: Ø 100 mm  
Frame: 150 x 60 mm  
Weight: 500 gr.



**Clock model Yacht 2350 and 2350 fs (radio sectors)**

Dial: Ø 100 mm  
Frame: 150 x 60 mm  
Weight: 600 gr



**Clinometer model Yacht 911**

Dial: Ø 130 mm  
Frame: 155 x 35 mm  
Weight: 550 gr



**Thermometer model Yacht 619**

Dial: Ø 100 mm  
Frame: 150 x 60 mm  
Weight: 500 gr



**Chrome Serie**



**Barometer Regatta 184 CR**

Dial: Ø 100 mm  
Frame: 120 x 40 mm  
Weight: 230 gr



**Clock Regatta 684 CR**

Dial: Ø 100 mm  
Frame: 120 x 40 mm  
Weight: 200 gr

**NAUTICAL EQUIPMENT****Daylight Signalling Searchlight NHS200H**

Single handed daylight signal, operated by a push button switch in the handle, used to give visual signals. Packed in a carrying case.

Technical data:


- 150 mm diameter reflector, hard glass front, watertight IP 55, cable length 3 m
- halogen lamp 20W/24 Volt, G4 socket
- signalling range 4.5 km in daylight, 36 km at night, range at 1 lux 300 m
- built-in battery 24V/6.5Ah with concentric socket and battery charger for 230 VAC
- total weight 5.5 kg

**NAUTICAL EQUIPMENT**



**Set of Signal Flags**

Consists of 40 flags, available dimensions: 70 x 84 cm and 100 x 120 cm



**Sextant**

Reading: -20 up to +120°  
Adjustable screw  
Complete with suitcase

## NAUTICAL EQUIPMENT

**Handlead**

Length: 40 fathom (50 m)

Not pictured, but also in our program: course triangle, parallel ruler, chart divider, binoculars, etc.

**DAMAGE CONTROL KIT**

Be prepared for a flooding emergency! USCG statistics indicate that every year more than 25 percent of all fishing industry vessel losses are related to unintentional flooding. Unintentional flooding has also contributed to near-sinkings countless times. The NPFVOA Damage Control Kit comes with an illustrated manual explaining standard techniques for repairing damage from uncontrolled flooding, flood rate charts and emergency drill suggestions.

The products included in the kit supply ready-to-use materials which quickly reduce or stop unintentional flooding (i.e., damage control) and give the crew a chance to effect a temporary repair, or reach port. The Damage Control Kit is packed in an easy-to-stow container clearly marked with its contents and fits any size vessel or gear type.

**Includes:** 3 Sugar Pine plugs (1 x 4, 2 x 8, 3½ x 8); 8 Fir wedges (rough cut 2 x 4 x 9); 1 roll duct tape; 25 14" plastic tie-wraps; Roll Marlin; 1 screwdriver (universal); Lot duct seal (2 sq ft); 2 sq ft Neoprene (1 sq ft & 2 sq ft) 1 lb Oakum; 2 rolls grease tape (butyl); 1 waterproof flashlight with batteries; 4 piece split fire hose (12" long x 1½" rubber-lined); 1 hand axe; 1 "Dry Box"