

SEARCH LIGHTS**RCL-75****Product no. 1946**

New designed searchlight for yachts, sportfish and small commercial vessels.
Lightoutput 180,000 cd.

- **Size** : 21.3 x 17.8 cm
- **Input voltage** : 12 VDC
- **Weight** : 2.7 kg
- **Material** : High impact polycarbonate with exterior integral ribbing
- **Operation** : Remote controlled Point Pad style joystick
- **Accessories** : replacement bulb Prod. no. 9403,
replacement lamp assembly Prod. no. 9404
- **Beam angle** : 3°
- **Elevation angle** : 18° up, 45° down
- **Rotation speed** : 1 revolution per 20 seconds
- **Dual lamps** : high intensity 55 W Halogen, 2 each
- **Wiring** : 7 wire, 5.20 m length
- **Limited warranty** : 1 year

SEARCH LIGHTS**RCL 50 B****Product no. 1939.2**

Internal elevation mechanism provides pitch control of spotlight beam while protecting elevation from weather. 80,000 cd light output.

- **Size** : 21.3 x 15.2 x 20.3 cm
- **Input voltage** : 12 VDC
- **Weight** : 2.8 kg
- **Material** : Aluminium
- **Operation** : Remote controlled
- **Accessories** : A1-14-0090-1-55W/12V Halogen lamp
- **Beam angle** : 2°vertical, 7°horizontal
- **Elevation angle** : 9° up, 17° down
- **Rotation speed** : Fast 28° per second, slow 18° per second
- **Lamp** : High intensity 55W Halogen
- **Limited warranty** : 1 year

SEARCH LIGHTS**RCL-100D****Product no. 1930.2 (12 VDC version)****Product no. 1931.2 (24 VDC version)**

Internal elevation mechanism provides pitch control of spotlight beam while protecting elevation from weather. 200,000 cd light output.

- **Size** : 20.3 x 22.9 x 20.3 cm.
- **Weight** : 3.2 kg
- **Material** : Aluminium
- **Operation** : Remote controlled
- **Accessories** : 9282.1- Secondary Point Pad for remote control with install kit –A3-06-1323-Weather cover; 6003 55W/24V halogen lamp; 1926-24V searchlight only

- **Beam angle** : 5°vertical, 7°horizontal
- **Elevation angle** : 9° up, 17° down
- **Rotation** : 360°
- **Rotation speed** : Fast 28° per second, slow 18° per second
- **Elevation speed** : 5° - 8° per second
- **Lamp** : High intensity 55W Halogen
- **Limited warranty** : 1 year

SEARCH LIGHTS**RCL-300****Product no. 1933**

- Internal elevation mechanism provides pitch control of spotlight beam; protects elevation mechanism from weather
- Includes fingertip remote control Point Pad™; up to three remote Point Pad™ units may be installed on system; surface/flush mount options included
- Rugged triple-primed and sealed, marine grade aluminium XRCiZ™ feature rotates and moves light assembly every 30 days from activation to keep all bearing surfaces free of corrosion and all electrical contacts functional (can be disabled)housing
- Salt water-resistant construction with nylon and phenolic washers, aluminized stainless steel screws with insulating lubricant
- Wiring harness included
- Light output 1,100,000 cd

Size:	31 x 33 x 23.5 cm
Weight:	14.06 kg
Material:	Cast Aluminum, Tempered Glass
Input Voltage:	12V-24VDC
Color:	White
Operation:	Remote Controlled Point Pad™
Beam Spread:	6°
Elevation Angle:	15° Up, 30° Down
Rotation:	360° Continuous
Rotation Speed:	Fast 30° per Second, Slow 10° per Second
Elevation Speed:	3° per Second
Lamp:	Twin 35W Metal Halide Lamps 1,000 Hours Operating Life
Accessories:	Secondary Point Pad™ for Remote Control with Install Kit (P/N 9282.3) Replacement 35W Halide Lamps
Footprint Diameter:	23 cm
Limited Warranty:	1 Year

SEARCH LIGHTS

**RCL-600A****Product no. 1941**

Aesthetically designed to meet performance requirements of large pleasure yachts. Internal elevation mechanism provides pitch control of spotlight beam while protecting elevation mechanism from weather. 6,000,000 cd light output.

- **Size** : 43.2 x 35.6 x 38.1 cm
- **Input voltage** : 24 VDC
- **Weight** : 29.5 kg
- **Material** : Aluminium
- **Operation** : Remote joystick control
- **Accessories** : 1942-Secondary remote joystick;
A1-14-0093-150W/12 or 24V Xenon lamp
- **Beam angle** : Variable; can be narrowed and broadened
- **Elevation angle** : 18° up, 30° down
- **Elevation speed** : 7.5° per second
- **Turning speed** : 11° per second Low, 27° per second High
- **Lamp** : 150 watt Xenon
- **Limited warranty** : 5 years

SEARCH LIGHTS**POINT PAD****Product no. 1928.3**

Remote control point pad for RCL-100D and RCL-50B searchlights

- Size : 7.1 x 7.6 x 4.0 cm
- Weight : 300 g
- Consists of master control unit and Point Pad; installed via single coaxial cable
- Allows finger tip control
- Has the capacity to perform up to six different duties; ideal for searchlights, winches and other electrical devices
- Easily retrofitted to most servo-motor drives
- Compatible with 12 or 24V DC Operation